From-LAHIVE & COCKFIELD. LLP 6177424214 T-813 P 15/21 F-634 Sheet 1 of 5 U.S. DEPARTMENT OF COMMERCE PHITENT AND THADEMARK OFFICE ATTY SHOW OF THE APPLICANT FACSOME OF PORTIN PTO-1445 09/670,756 AHN-070CP4 LIST OF PUBLICATIONS CITED BY APPLICANT (Use several sheets if necessary) Rhodes, K. et al. 1646 September 27, 2000 U.S. PATENT DOCUMENTS NAME OF THE PERSON NAMED IN 0.498 DOCUMENT PLANSER DATE FOREIGN PATENT DOCUMENTS 34043 كتمت TRANSATION DOCUMENT NUMBER DATE PCT A1 WO 97/31112 08/97 PCT WO 98/16185 04/98 PCT 7 WO 99/49038 09/99 OTHERS (including Author, Title, Date, Pertinent Pages, Etc.) Adachi, Y. et al., "Identification and characterization of SET, a nuclear phosphoprotein encoded by the translocation break point in acute undifferentiated leukemia," J. Biol. Chem., 269:2258-2262 (1994) Bilbe,G., et al., "Restin: a novel intermediate filament-associated protein highly expressed in the Read-Stemperg cells of Hodgkin's disease," EMBO J. 11 (6):2103-2113 (1992) Bonaldo et al., GenBank Accession Number AA859724 (online), "Calcium-binding protein A6 NCS-1" (1998 Mar 14):; A7 Buxbaum, Joseph D., et al., "Calsenilin: A calcium-binding protein that interacts with the presentlins and regulates the levels of a presentlin fragment", Nature Medicine, Vol. 4, No. 10, pp. 1177-1181 (1998) Carrion, Angel M., et al., "DREAM is a CA?" -regulated transcriptional repressor", Nature, 8 vol. 398, pp 80-84 (1999) AĐ Castagna, Michela et al. "Molecular Characteristics of Mammalian and Insect Amino Acid Transporters: Implications for Amino Acid Homeostatis" The Journal of Experimental Biology 200:269-286 (1997); Cunningham, E. et al., "Phosphatidylinositol transfer protein dictates the rate of inositol trisphosphate production by promoting the synthesis of PIP2," Curr Biol. 5(7):775-83 A11 DeCastro, E. et al., "Regulation of rhodopsin phosphorylation by a family of neuronal calcium sensors" Biochem Biophys Res Commun.;216(1):133-40 1995) A12 Dickeson, S.K., et al., "Isolation and sequence of cDNA clones encoding rat phosphatidylinositol transfer protein," J. Biol. Chem. 264 (28):16557-16564 (1989) Dixon, J., "Role of the Kv4.3 K+ channel in ventricular muscle. A molecular correlate for the transient outward current" Circ Res.;79(4):659-68. (1996) Endo, T.A. et al., "A new protein containing an SH2 domain that inhibits JAK kinase," Nature. 387(6636):921-4 (1997) Fukuda, J. et al., "Breakdown of cytoskeletal filaments selectively reduces Na and Ca pikes in cultured memmal neurones," Nature. 294(5836):82-5 (1981) Expertmener Date Considered

> Initial if reference considered, whether or not creation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next

communication to applicant.

EXAMINER.

								sheet 2 of 5				
	FACELOR	E OF FORENTO-WA	US T COM PATE	ATTY PODNET HO	SERIAL NO							
REV 7-84				AHN-070CP4 D9/670,756			756					
us	TOF	PUBLICATIONS (Use several shee	CITED BY	Rhodes, K. et al.								
1	,	COZE SCACION SINCE	L,3  1 11000 <b>0</b>	Paris Date		645.9						
					September 27, 2000		1846					
U.S. PATENT DOCUMENTS												
224	7	DOGGENT Mandel	1		nut.	9.55	MAGASE	FERGUATE FARMONIATE				
BATTA.	-	000000	IIATE					FAPTROPILITE				
FOREIGN PATENT DOCUMENTS												
	T	DOCUMENT HEMSEN	DATE	Osem		auss	SARGLASS	TRAMBANON				
	↓				·		ļ	YES 100				
<u></u>	<u> </u>	L	<u> </u>	<u> </u>		<u> </u>	L	l				
OTHERS (including Author, Title, Date, Pertinent Pages, Etc.)												
	В1	Funkhouser,	J.D.; 'Amii	no-terminal sequ	ence of a phospholip	d transf	er protein	from				
V—	B2				nun. 145:1310-1314 (		landrine e					
	"		D.A. et al., "K+ channel regulation of signal propagation in dendrites of neal pyramidal neurons," Nature, 387(6636):869-75 (1997)									
	83	Hoffman, D.A	Hoffman, D.A. et al., "Downregulation of transient K+ channels in dendrites of									
11	1		hippocampal CA1 pyramidal neurons by activation of PKA and PKC," J Neurosci.									
<b>}</b> -	84		18(10):3521-8 (1998)  Honore, E. et al., "Different types of K+ channel current are generated by different levels									
			of a single mRNA," EMBO J. 11(7):2485-71 (1992)									
	86		Hoppe-Sayler, "Purification and characterization of two putative HLA class II associated									
<b>}</b>	86		proteins: PHAPI and PHAPII," Biol. Chem., 375:113-126 (1994)									
	7.		Jan, L.Y. et al., "How might the diversity of potassium channels be generated?" Trends Neurosci. 13(10):415-9 (1990)									
	B7	Johnson, B.D	Johnson, B.D. et al., "A cytoskeletal mechanism for Ca2+ channel metabolic dependence									
<del> </del>	88	and inactivation	and inactivation by intracellular Ca2+," Neuron. 10(5):797-804 (1993)									
1 1	~	Kaab, S. et al., "Molecular basis of transient outward potassium current downregulation in human heart failure: a decrease in Kv4.3 mRNA complates with a reduction in current										
		density Circulation. 98(14):1383-93 (1998)										
	89	Kim, E. et al.	Kim, E. et al. "Clustering of Shaker-type K" channels by interaction with a family of									
<del> </del>	B10	membrane-as	membrane-associated guanylate kinases" Nature 378:85-88 (2 Nov 1995);									
1		conferred by	Levin, G. et al., "Phosphorylation of a K+ channel alpha subunit modulates the inactivation conferred by a beta subunit. Involvement of cytoskeleton," J Biol Chem. 271(46):29321-8									
<del>                                     </del>		(1996)										
	811	Li, M., et al.,	LI, M., et al., 'The myeloid leukernia-associated protein SET is a potent inhibitor of protein phosphatase 2A," J. Biol. Chem. 271 (19):11059-11062 (1896)									
- -	B12		Lombardi, Stephen J. et al. "Structure-Activity Relationships of the K,61 Inactivation									
1		Domain and the	Domain and its Putative Receptor Probed Using Peotide Analogs of Voltage-gated									
		Potassium Ch	Potassium Channel α- and β-Supunits" The Journal of Biological Chemistry									
-	B13	Masiakowski	273(46):30092-30096 (1998 Nov 13):  Masiakowski P. et al. "Nerve orgath factor induces the coope for									
Masiakowski, P. et al., "Nerve growth factor induces the genes for two proteins relate a family of calcium-binding proteins in PC12 cells," Proc Natl Acad Sci U S A. 85(4):1								6(4):1277-				
81 (1988)												
Examine	•		-	1	Date Considered [ (-/)-6]							
"EXAMINER: Initial if reference considered, whether or not obtain is in conformance with MPEP 609: Draw tine												
	Through distion if not in conformance and not considered. Include copy of this form with next conformancection to applicant.											

	•		•		Sheet 3 of 5							
APPLICANT PACSHIME OF FORM PTO- HHR U.S. DEMATHER OF COMMERCE PATENT AND TRADE INVACA OFFICE PATENT AND TRADE INVACA OFFICE						ATTY DOORST HO	MALIO COLCEO					
LIST OF PUBLICATIONS CITED BY APPLICANT						AHN-070CP4 09/670,756						
l H	ST OI		UBLICATIONS ( se several sheel			Rhodes, K. et al.						
[		(10.	<b>30 50 101 (a) (a)</b>	<b>M</b> II ) 1	FLORI DATE		GROAF					
						September 27, 2000		1646	1646			
U.S. PATENT DOCUMENTS												
CAMPET PETIAL	Ouests		DOCUMENT PLANSIN	DATE		nost	Gran	SUBCLASS	FEIRG DATE			
	1	†										
FOREIGN PATENT DOCUMENTS												
	7	T	ABARN THRACOO	DATE	T	Courter	0.455	SUBCLASS	TRANSLATION			
	1_	上			<u> </u>				YES MO			
	I	L										
·			ATHERS		- Surbar Two O	- to Classic and Dagon	- 		•			
<del></del>	OTHERS (including Author, Title, Date, Pertinent Pages, Etc.)  // C1 Nagase,T. et al., "Prediction of the coding sequences of unidentified human genes. XI.											
14	<del>- </del> -	ı	The complete	SOCHONO	es of 100 new cE	NA clones from brain	n which	code for la	me Me			
		丄	proteins in viti	ro," DNA F	<del>Res. 5 (5):277-28</del>	36 (1 <del>9</del> 98)						
	CZ	1	Nagata, K. et al., "Replication factor encoded by a putative oncogene, set, associated with									
<b>}</b> +	C3	╀	myeloid leukernogenesis," Proc. Natl. Acad. Sci. U.S.A., 92:4279-4283 (1996)									
] }	"	1	Naka, T. et al., "Structure and function of a new STAT-induced STAT inhibitor," Nature. 387(6636):924-9 (1997)									
-	वि	†	Nakamura, T.Y. et at., "Modulation of Kv4 channels, key components of rat ventricular									
	<u> </u>	丄	transient outward K+ current, by PKC," Am J Physiol. 273(4 Pt 2):H1775-86 (1997)									
1	CS	•	National Cancer Intsitute-Cancer Genome Aanatomy Project, GenBank Accession									
1	1			Number Al038858 [online], "Homo sapiens cDNA cione IMAGE:1659605 3" similar to SW:VIS3_Rat P35333 Visinin-like Protein" (1998-Jul-01).								
<b> </b>	<b>C8</b>	†	Nerbonne, J., "Regulation of voltage-gated K+ channel expression in the developing									
$\sqcup \bot$	ᆚ	丄	mammalian myocardium", J Neurobiol:37(1):37-59. (1998)Review									
	C7	T	Panaretou, C. et al., "Characterization of p150, an adaptor protein for the human									
1 1		1	phosphatidylinositol (Ptdlns) 3-kinase. Substrate presentation by phosphatidylinositol transfer protein to the p150.Ptdlns 3-kinase complex," J Biol Chem. 272(4):2477-85									
$oxed{oxed}$	1_	L	(1997)									
	CS		Pierre,P., et al., "CLIP-170 links endocytic vesicles to microtubules," Cell 70 (6):887-900 (1992)									
	CS		Pongs, O. et al., "Regulation of the activity of voltage-gated potassium channels by beta subunits" Sem. Neurosci. 7:137-146 (1995)									
	Cio	1	Prevarskaya, N.B. et al., "Role of tyrosine phosphorylation in potassium channel									
Ш			activation. Functional association with prolactin receptor and JAK2 tyrosine kinase," J Biol Chem. 270(41):24292-9 (1995)									
	C11	T	Scannevin, R.	H. and Tri	immer, J.S. "Cyto	plasmic Domains of	Voltage	Sensitive	K			
		] [	Channels Invo	alved in Me	adiating Protein-F	Protein Interactions &	Biocher	nical and Bi	iophysical			
├┼─	C12	╂┤	Research Communications 232:585-589 (1997); Serodio, P. et al., "Cloning of a Novel Component of A-Type K" Channels Operating at									
1			Suginresmold	Potential v	with Unique Expr	ession in Heart and B	i Gran Brian" J	inters upora oumai of	iong at			
Neutrophysiology, Vol. 75, No. 5, pp. 2174-2179 (1996)												
Examiner			1/h_		Date Considered [(-()-0]							
"EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line strongth citation if not in conformance and not considered. Include copy of this form with next communication to applicant.												
		_	- CONTRIBUTION	TOTAL ED SEPTIE	zaru.				4			

Sheet\_4 of 5 U E DEPARTHENT OF ATTY DOORST NO APPLICANT FACSHOLD OF FORM PTO-1448 COMMERCE PATENT AND TRADEMAN OFFICE 09/670,756 AHN-070CP4 LIST OF PUBLICATIONS CITED BY APPLICANT (Use several sheets if necessary) Rhodes, K. et al. CAOU 1646 September 27, 2000 U.S. PATENT DOCUMENTS DOCLMENT PLANSER DATE FOREIGN PATENT DOCUMENTS 0.455 TRANSLATION DOCUMENT NUMBER DATE OTHERS (including Author, Title, Date, Pertinent Pages, Etc.) Sheng, M. et al., "Subcellular segregation of two A-type K+ channel proteins in rat central Di neurons," Neuron. 9(2):271-84 (1992) Sheng, M. and Kim, E. "Ion channel associated proteins" Current Opinion in Neurobiology 02 6:602-608 (1996). 03 Simon, H.U. et al., "Molecular characterization of hNRP, a cDNA encoding a human nucleosome-assembly-protein-I-related gane product involved in the induction of cell proliferation," Biochem. J., 297:389-397 (1994) Starr, R. et al., "A family of cytokine-inducible inhibitors of signalling," Nature. 387(6636):917-21 (1997) **D5** Touchot, N. et al., "Four additional members of the ras gene superfamily isolated by an oligonucleotide strategy: molecular cloning of YPT-related cDNAs from a rat brain library," Proc Natl Acad Sci U S A. 84(23):8210-4 (1987) 06 Van Hille, B. et al., "Identification of two subunit A isoforms of the vacuolar H(+)-ATPase in human osteociastoma," J Biol Chem. 268(10):7075-80 (1993) D7 Von Lindem, M. et al., "Can, a putative oncogene associated with myeloid reukemogenesis, may be activated by fusion of its 3' half to different genes: characterization of the set gene." Mol. Cell Biol., 12:3346-3355 (1992) Rhodes, K. et al. BLASTN Search in EST Database using the mouse p19 nucleic acid Sequence (2000) **D9** Rhodes, K. et al. BLASTN Search in Nucleic Acid Database using the mouse p19 nucleic acid Sequence (2000) 010 Rhodes, K. et al. BLASTN Search using the human 1v protein sequence (2000) וום Rhodes, K. et al. BLASTN Search in EST Database using the rat 1vl nucleic acid sequence (2000) Rhodes, K. et al. BLASTN Search in Nucleic Acid Database using the rat 1vt nucleic acid sequence (2000) D13 Rhodes, K. et al. BLASTN Search in EST Database using the human 9gl nucleic acid sequence (2000) Date Considered Examinar 11-03 EXAMINER: krubal if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next

communication to applicant.

Sneet 5 of 5 U.S. DERNATURAL OF ATTY DOCKET NO APPLICANT PACSORLE UP PORM PTO-1440 AHN-070CP4 09/670,756 LIST OF PUBLICATIONS CITED BY APPLICANT (Use several sheets if necessary) Rhodes, K. et al. 1646 September 27, 2000 U.S. PATENT DOCUMENTS 0.466 RACIAM SOCUMENT MARKET DATE FOREIGN PATENT DOCUMENTS MACARS Q.ASS Manager Technical DATE TRANSLATION OTHERS (including Author, Title, Date, Pertinent Pages, Etc.) Rhodes, K. et al. BLASTN Search in Nucleic Acid Database using the human 9ql nucleic acid sequence (2000) GenBank accession number: AB018264 for Homo sapiens mRNA for KIAA0721 protein. partial cds. (1998) GenBank accession number: U51924 for Human phosphatase 2A inhibitor I2PP2A mRNA, complete cds. (1996) GenBank accession number: P30622 for restin (cytoplasmic limker protein-170 alpha-2) E4 (ctip-170) (reed-Stemberg intermediate filament associatedprotein). (1992) **E**5 GenBank accession number: P38606 for vacuolar ATP synthase catalytic subunit A, ubiquitous isoform (V-atpase 69 KD subunit) (isoform VA68). (1993) ER GenBank accession number: 846091 HS-1063-A1-C02-MR.abi CIT Human Genomic Sperm Library C Homo saplens genomic clone Plate=CT 796 Col=3 Row=E, genomic survey sequence (1997) 6:7 GenBank accession number: P05712 for ras-related protein RAB-2. (1987) £8 GenBank accession number: P16446 for phosphatidylinositol transfer protein alpha isoform (PTDINS transfer protein alpha) (PTDINSTP) (PI-TP-alpha). (1987) GenBank accession number: M26758 for Rat phosphatidylinositol transfer protein mRNA, complete cds. (1989) E10 GenBank accession number: AA849706 for EST192473 Normalized rat muscle, Bento Soares Rattus sp. cDNA clone RMUAH89 3' end, mRNA sequence. (1998) GenBank accession number: AA757119 for ah53h07.s1 Soares testis NHT Homo sapiens cDNA clone 1309405 3', mRNA sequence. (1998) GenBank accession number: AU035979 Sugeno mouse brain mncb Mus musculus cDNA £12 clong MNCb-7005, mRNA seguence. (1998) **Date Considered** 13-07 EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 809; Draw line excuss disaston if not in conformance and not considered. Include copy of this form with next

communication to applicant